



# CASTROL PRODUKTKATALOG 2022




**BWT**  
ALPINE  
F1™ TEAM



OFFICIAL PARTNER

# ***BWT ALPINE F1® TEAM RECOMMENDS CASTROL EDGE***



IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



Fernando Alonso – BWT Alpine F1® Team

## INNEHÅLLSFÖRTECKNING

### MOTOROLJOR PERSONBILAR

EDGE ..... 4

MAGNATEC ..... 8

GTX ..... 12

VÄTSKOR FÖR ELBILAR ..... 14

MOTOROLJOR KOMMERSIELLA FORDON ..... 16

PRODUKTER FÖR DRIVLINA ..... 22

SPECIALSORTIMENT ..... 30

PRODUKTER FÖR MOTORCYKLAR ..... 35

KONTAKTUPPGIFTER ..... 40



# CASTROL EDGE. STRONGER UNDER PRESSURE.



## Castrol EDGE 0W-20 C5

### Spezifikationen

ACEA C5, C6, API SP, ILSAC GF-6, Meets Chrysler MS 6395, GM Dexos1™ gen 3, Jaguar Land Rover engine oil specification STJLR.03.5006, MB-Approval 229.71, Opel OV0401547, Meets Fiat 9.55535-CR1, Meets Fiat 9.55535-GSX, Meets Ford WSS-M2C947-A, Meets Ford WSS-M2C947-B1

Emballage	Artikel-Nr.
12 X 1 LT	15CC94
4 X 4 LT	15CC95
1 X 60 LT	15CC98
1 X 208 LT	15CC97



## Castrol EDGE 0W-20 LL IV

### Spezifikationen

ACEA C5, Porsche C20, VW 508 00/ 509 00, Meets - Ford WSS-M2C956-A1

Emballage	Artikel-Nr.
12 X 1 LT	15B1B2
4 X 4 LT	15B6C4
1 X 20 LT	15B1B4
1 X 208 LT	15B1B6



## Castrol EDGE 0W-20 V

### Spezifikationen

ACEA C5, Volvo VCC RBS0-2AE

Emballage	Artikel-Nr.
12 X 1 LT	15DA96
4 X 4 LT	15DA99
1 X 20 LT	15DA9A
1 X 60 LT	15DA98
1 X 208 LT	15DA97

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol EDGE 0W-30

### Specifikationer

ACEA C3, API SP, BMW Longlife-04, BMW Longlife-19FE  
MB-Approval 226.5/ 229.31/ 229.51, Opel OV 040 1547 - D30  
Opel OV 040 1547 - G30, Renault RN 0700 / RN 0710

Emballage	Artikel-Nr.
12 X 1 LT	1533F3
4 X 4 LT	1533EB
1 X 20 LT	1533F6
1 X 208 LT	1533F5
BULK LT	2B0055



## Castrol EDGE 0W-30 A3/B4

### Specifikationer

ACEA A3/B4, API SL, BMW Longlife-01, MB-Approval 229.3/ 229.5, VW 502  
00/ 505 00, Renault RN 0700 / RN 0710

Emballage	Artikel-Nr.
12 X 1 LT	15334A
4 X 4 LT	15334C
1 X 20 LT	15334F
BULK LT	2B0050



## Castrol EDGE 0W-30 A5/B5

### Specifikationer

ACEA A1/B1, A5/B5, API SL/CF, Volvo 95200377

Emballage	Artikel-Nr.
12 X 1 LT	158C3F
4 X 4 LT	1531B1
1 X 20 LT	1531B7
1 X 208 LT	1531B6
BULK LT	2B0054



## Castrol EDGE 5W-30 LL

### Specifikationer

ACEA C3, BMW - Longlife-04, MB-Approval 229.31/ 229.51, Porsche  
C30, VW 504 00/ 507 00

Emballage	Artikel-Nr.
12 X 1 LT	15665F
4 X 4 LT	15668E
4 X 5 LT	15669E
1 X 20 LT	15664C
1 X 60 LT	15665C
1 X 208 LT	15664F
BULK LT	2B0048

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol EDGE 5W-30 M

### Specifikationer

ACEA C3, API SN PLUS, BMW Longlife-04, MB-Approval 229.31/ 229.51/ 229.52

Emballage	Artikel-Nr.
12 X 1 LT	15BF68
4 X 4 LT	15BF69
1 X 20 LT	15C44F
1 X 60 LT	15BC8F
1 X 208 LT	15B676
BULK LT	2B0030



## Castrol EDGE 5W-30 C3

### Specifikationer

ACEA C3, API SN/CF, GMdexos2™\*, MB-Approval 229.31/ 229.51, Renault RN 0700 / RN 0710, VW 505 00/ 505 01

Emballage	Artikel-Nr.
12 X 1 LT	15530C
4 X 4 LT	1552FF
1 X 208 LT	15531A
BULK LT	2B004C



## Castrol EDGE 0W-40 R

### Specifikationer

Renault RN 17RSA

Emballage	Artikel-Nr.
12 X 1 LT	15D33B
4 X 5 LT	15D33C



## Castrol EDGE 0W-40 A3/B4

### Specifikationer

ACEA A3/B4, API SP, BMW Longlife-01, MB-Approval 229.3/ 229.5  
VW 502 00 / 505 00, Renault RN 0700 / RN 0710,  
Meets - Ford WSS-M2C937-A

Emballage	Artikel-Nr.
12 X 1 LT	15336D
4 X 4 LT	15338F
1 X 20 LT	15336A
1 X 60 LT	15336C
1 X 208 LT	15336B
BULK LT	2B005B



## Castrol EDGE 5W-40 M

### Specifikationer

ACEA C3, API SN, BMW Longlife-04, Meets Fiat 9.55535-S2, Porsche C40, VW 511 00

Emballage	Artikel-Nr.
12 X 1 LT	15D3AA
4 X 5 LT	15D3AB
1 X 20 LT	15D3AC
1 X 208 LT	15D3AD

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol EDGE 5W-40 A3/B4

### Specifikationer

ACEA A3/B3, A3/B4, API SN/CF, BMW Longlife-01, MB-Approval 226.5/229.3/ 229.5, Porsche A40, Renault RN0700 / RN0710, VW 502 00/ 505 00

Emballage	Artikel-Nr.
12 X 1 LT	15C4B7
4 X 4 LT	15C4B8
1 X 20 LT	15C4AC
1 X 208 LT	1535AB
BULK LT	2B0061



## Castrol EDGE Turbo Diesel 5W-40

### Specifikationer

ACEA C3, API SN/CF, Meets Fiat 9.55535-S2, Meets Ford WSS-M2C917-A, GMdexos2™\*, MB-Approval 226.5/ 229.31/ 229.51, Renault RN 0700 / RN 0710, VW 505 00/ 505 01

Emballage	Artikel-Nr.
12 X 1 LT	1535B5
4 X 4 LT	1535BA
1 X 20 LT	1535B1
1 X 208 LT	1535B0



## Castrol EDGE Supercar 5W-50

### Specifikationer

API SN, Meets Ford WSS-M2C931-C

Emballage	Artikel-Nr.
4 X 4 LT	15A782



## Castrol EDGE Supercar 10W-60

### Specifikationer

ACEA A3/B3, A3/B4, API SN/CF, Approved for BMW M-Models, VW 501 01/ 505 00

Emballage	Artikel-Nr.
12 X 1 LT	1595CC
4 X 4 LT	15A0B2
1 X 208 LT	1595DA

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# CASTROL MAGNATEC. NON-STOP PROTECTION FROM EVERY START.



 **MAGNATEC**

## Castrol Magnatec Diesel 0W-20

### Specifikationer

Meets - Ford WSS-M2C952-A1

### Emballage

4 X 5 LT

### Artikel-Nr.

15E2C3



 **MAGNATEC**

## Castrol Magnatec Stop-Start 0W-20 GF

### Specifikationer

API SN, ILSAC GF-5

### Emballage

12 X 1 LT

1 X 208 LT

BULK LT

### Artikel-Nr.

15CBAE

15CBAF

2B0069



 **MAGNATEC**

## Castrol Magnatec Stop-Start 0W-30 C2

### Specifikationer

ACEA C2, PSA Approval B71 2312

### Emballage

12 X 1 LT

4 X 4 LT

1 X 20 LT

1 X 60 LT

1 X 208 LT

BULK LT

### Artikel-Nr.

15B31C

15B320

15B75A

15B75B

15B3BE

2B006A

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *MAGNATEC*

## Castrol Magnatec Stop-Start 0W-30 D

### Specifikationer

ACEA C2, Meets - Ford WSS-M2C950-A

Emballage	Artikel-Nr.
12 X 1 LT	15D607
4 X 4 LT	15D608
1 X 20 LT	15D603
1 X 208 LT	15D604



**Castrol** *MAGNATEC*

## Castrol Magnatec Stop-Start 5W-20 E

### Specifikationer

Meets Ford WSS-M2C948-B

Emballage	Artikel-Nr.
12 X 1 LT	15CC50
4 X 4 LT	15CC55
1 X 20 LT	15CC44
1 X 208 LT	15CC45



**Castrol** *MAGNATEC*

## Castrol Magnatec Stop-Start 5W-30 C2

### Specifikationer

ACEA C2, PSA Approval B71 2290

Emballage	Artikel-Nr.
12 X 1 LT	159BA6
4 X 4 LT	159BAA
1 X 20 LT	1599DD
1 X 60 LT	1599CE
1 X 208 LT	1599DB
BULK LT	2B006C



**Castrol** *MAGNATEC*

## Castrol Magnatec Stop-Start 5W-30 S1

### Specifikationer

ACEA C2, API SN, Meets - Fiat 9.55535-S1

Emballage	Artikel-Nr.
12 X 1 LT	15C2BA
4 X 4 LT	15C2B3
1 X 208 LT	15C2B1
BULK LT	2B006E



**Castrol** *MAGNATEC*

## Castrol Magnatec 5W-30 DX

### Specifikationer

API SP, ILSAC GF-6, Meets Ford WSS-M2C946-A/ WSS-M2C946-B1/ WSS-M2C961-A1, GM dexos1™ Gen 3

Emballage	Artikel-Nr.
12 X 1 LT	15C31F
1 X 20 LT	15C325
1 X 208 LT	15C327
BULK LT	2B000E

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *MAGNATEC*

### Castrol Magnatec Stop-Start 5W-30 A5

#### Specifikationer

ACEA A1/B1, A5/B5, API SN, ILSAC GF-5, Meets - Ford WSS-M2C913-C / WSS-M2C913-D

Emballage	Artikel-Nr.
12 X 1 LT	15CA42
4 X 4 LT	15CA43
1 X 20 LT	15CA3F
1 X 60 LT	15CA41
1 X 208 LT	15CA40
BULK LT	2B0041



**Castrol** *MAGNATEC*

### Castrol Magnatec Stop-Start 5W-30 A3/B4

#### Specifikationer

ACEA A3/B4, API SL, MB-Approval 226.5/ 229.3/ 229.5, Renault RN 0700 / 0710, VW 502 00 / 505 00

Emballage	Artikel-Nr.
12 X 1 LT	15C94C
4 X 4 LT	15C94E
1 X 60 LT	15C94B
1 X 208 LT	15C94A
BULK LT	2B0026



**Castrol** *MAGNATEC*

### Castrol Magnatec Stop-Start 5W-30 C3

#### Specifikationer

ACEA C3, API SN, BMW Longlife-04, Meets Fiat 9.55535-S3, MB-Approval 226.5/ 229.31/ 229.51, Renault RN 0700 / RN 0710

Emballage	Artikel-Nr.
12 X 1 LT	15D611
1 X 208 LT	15D60D
BULK LT	2B0037



**Castrol** *MAGNATEC*

### Castrol Magnatec 5W-40 C3

#### Specifikationer

ACEA C3, API SN, Meets - Fiat 9.55535-S2, BMW Longlife-04, MB-Approval 229.31, Renault RN 0700 / RN 0710

Emballage	Artikel-Nr.
12 X 1 LT	15C9C7
4 X 4 LT	15C9CA
4 X 5 LT	15C9CB
1 X 20 LT	15C9C4
1 X 60 LT	15C9C6
1 X 208 LT	15C9C5
BULK LT	2B005C



**Castrol** *MAGNATEC*

### Castrol Magnatec 5W-40 A3/B4

#### Specifikationer

ACEA A3/B4, API SN, MB-Approval 226.5/ 229.3/ 229.5, Renault RN 0700 / RN 0710, VW 502 00/ 505 00

Emballage	Artikel-Nr.
12 X 1 LT	15C9D0
4 X 4 LT	15C9D1
1 X 20 LT	15C9D2
1 X 60 LT	15C9CF
1 X 208 LT	15C9CE
BULK LT	2B0025

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol MAGNATEC**

## Castrol Magnatec Diesel 5W-40 DPF

### Specifikationer

ACEA C3, API SN/CF, Meets Fiat 9.55535-S2, Meets Ford WSS-M2C917-A, GMdexos2™\*, MB-Approval 229.31, VW 505 00/ 505 01

Emballage	Artikel-Nr.
12 X 1 LT	1502B8
4 X 4 LT	15C4AA
4 X 5 LT	1502BA
1 X 20 LT	150A5F
1 X 60 LT	150A60
1 X 208 LT	150A5E



**Castrol MAGNATEC**

## Castrol Magnatec 10W-40 A3/B4

### Specifikationer

ACEA A3/B3, A3/B4, API SN, Meets FIAT 9.55535-D2, MB-Approval 226.5, Renault RN 0700/0710, VW 501 01 / 505 00

Emballage	Artikel-Nr.
12 X 1 LT	15CA1E
4 X 4 LT	15CA1F
1 X 208 LT	15CA1C

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# CASTROL GTX. PROTECTING AGAINST SLUDGE FORMATION.





## Castrol GTX 5W-30 C4

### Specifikationer

ACEA C4, MB-Approval 226.51, Renault RN 0720

Emballage	Artikel-Nr.
12 X 1 LT	15900D
4 X 4 LT	15901C
1 X 20 LT	15A26A
1 X 60 LT	15C788
1 X 208 LT	15900E
BULK LT	2B0066





## Castrol GTX 5W-30 RN17

### Specifikationer

ACEA C3, Renault RN17

Emballage	Artikel-Nr.
12 X 1 LT	15CC2F
4 X 5 LT	15CC30
1 X 20 LT	15CC31
1 X 60 LT	15CC32
1 X 208 LT	15CC33
BLK LT	2B0065





## Castrol GTX ULTRACLEAN 10W-40 A3/B4

### Specifikationer

ACEA A3/B3, A3/B4, API SN, Meets Fiat 9.55535-D2 / 9.55535-G2, MB-Approval 229.1, Renault RN 0700 / RN 0710, VW 501 01 / 505 00

Emballage	Artikel-Nr.
12 X 1 LT	15A4CF
4 X 4 LT	15A4D3
1 X 20 LT	15A4DA
1 X 208 LT	15A4DC
BULK LT	2B004A

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



 **GTX**

## Castrol GTX 15W-40 A3/B3

### Specifikationer

ACEA A3/B3, API SN, MB-Approval 229.1, VW 501 01 / 505 00, Meets Fiat 9.55535-D2

Emballage	Artikel-Nr.
12 X 1 LT	1518B5
4 X 4 LT	15809F
1 X 208 LT	14C196

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# VÄXLA TILL EN ELEKTRIFIERAD FRAMTID



Castrol ON Dry EV transmissionsolja bidrar till ökad livslängd för drivlinan och bättre räckvidd för elbilar<sup>1</sup> på varje laddning

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.

[www.castrol.se/EVFLUIDS](http://www.castrol.se/EVFLUIDS)

<sup>1</sup>Jämfört med fabriksfyllningsvätska för elfordon för massmarknaden. Fördelarna med Castrols elbilsvätskor framgår av ommittnad provning och utveckling.  
<sup>\*</sup>Enlighet med PAS 2060, se [www.castrol.com/neutral](http://www.castrol.com/neutral) för mer information.



# Castrol ON EV Transmission Fluid för torra e-motorer

Lämplig att använda för:



TILLVERKARE	MODELL
Aiways	U5
Buick	Velite
Chery	Tiggo Kunpeng e plus, Jetour X90
Dong Feng	Voyah – torra motorer
Enovate	ME5
GWM	Ora – torr motor
Hozon	Neta
Maxus	EUNIQ 7 (bränslecell)
Maxus (LDV)	eDeliver 9
Mercedes Benz	EQS, EQE+
Mini	eMini (2022)
Rimac	Nevera (motor fram)
Pininfarina	Battista (motor fram)
SGM	Velite
Weltmeister	EX5 EX6
Vinfast	VF e34, VF e35, VF e36

TILLVERKARE	MODELL
BYD	Alla EV-modeller med torr motor
Hycan	Z03
Jaguar	I-Pace
Lixiang	One
Nio	ES6, ES8, EC6, ET7
Polestar	02:00
Rimac	Nevera (motor bak)
Rivian	R1T, R1S
Pininfarina	Battista (motor bak)
Tata	Tigor, Limber
Volvo	XC40 Recharge, C40 Recharge
Weltmeister	W6
Xpeng	P7, G9

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# HITTA RÄTT OLJA FÖR DIN MOTOR

	GAMMALT PRODUKTNAMN	NYTT PRODUKTNAMN
<b>VECTON</b>	Vecton Fuel Saver 5W-30 E6/E9	VECTON Fuel Saver 5W-30 E6/E9
	Vecton Fuel Saver 5W-30 E7	VECTON Fuel Saver 5W-30 E7
	Vecton Long Drain 10W-30 E6/E9	VECTON Long Drain 10W-30 E6/E9
	Vecton Long Drain 10W-40 E6/E9	VECTON Long Drain 10W-40 E6/E9
	Vecton Long Drain 10W-40 E7	VECTON Long Drain 10W-40 E7
	Vecton 15W-40 CJ-4 / Vecton 15W-40 CJ4/E9	VECTON 15W-40 CK-4/E9
<b>CRB</b>	Vecton 10W-40	CRB Turbomax 10W-40 E4/E7
	Vecton 15W-40	CRB Multi 15W-40 CI-4/E7
	Tecton 15W-40	CRB Multi 15W-40 CI-4/E7
	Tecton Monograde 10W	CRB Monograde 10W CF
	Tecton Monograde 30	CRB Monograde 30 CF



IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.







# CASTROL VECTON. WITH SYSTEM PRO TECHNOLOGY™.



## Castrol Vecton Long Drain 5W-30 FA-4/F8

### Specifikationer

API FA-4, Cummins CES 20087, DDC DFS 93K223, MB-Approval 228.61

Emballage	Artikel-Nr.
1 X 208 LT	15D0AA



## Castrol Vecton Long Drain 10W-30 E6/E9

### Specifikationer

ACEA E6, E7, E9, API CJ-4, JASO DH-2, CAT ECF-3, Cummins CES 20081, DDC Powerguard 93K218, Deutz DQC IV-10LA, Mack EO-O Premium Plus, EOS-4.5, MAN M 3271-2, M 3477, MB-Approval 228.51, MTU Oil Category 3.1, RVI RLD-3, Volvo CNG VDS-4 VDS-4.5, Meets DAF PX Euro VI requirements

Emballage	Artikel-Nr.
1 X 20 LT	15B382
1 X 208 LT	15B384



## Castrol Vecton Fuel Saver 5W-30 E6/E9

### Specifikationer

ACEA E6, E7, E9, API CJ-4, JASO DH-2, CAT ECF-3, Cummins CES 20081, Deutz DQC IV-10LA, Mack EO-M Plus, EO-N Premium Plus, EO-O Premium Plus, MAN M 3271-1 M 3477 M 3677, MB-Approval 228.31/ 228.51, MTU Oil Category 3.1, RVI RLD-3, Volvo CNG VDS 4, Scania LDF-4, Meets Ford WSS-M2C213-A1, For Iveco trucks requiring ACEA E6, E7, E9, Meets DAF PX Euro VI requirements

Emballage	Artikel-Nr.
4 X 5 LT	159CAC
1 X 20 LT	159CAA
1 X 208 LT	159CAB
BULK LT	28006D

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol Vecton Fuel Saver 5W-30 E7

### Specifikationer

ACEA E4, E7, Cummins CES 20077, Deutz DQC III-10, Mack EO-N, MAN M 3277, MB-Approval 228.5, MTU Oil Category 3, RVI RLD-2, Scania LDF-3, Volvo VDS 3

Emballage	Artikel-Nr.
1 X 20 LT	154C34
1 X 208 LT	154C32



## Castrol Vecton 15W-40 CK-4/E9

### Specifikationer

ACEA E9, API CK-4, JASO DH-2, CAT ECF-3, Cummins CES 20086, DDC DFS 93K222, Deutz DQC III-10LA, Mack EOS-4.5, MAN M 3775, MB-Approval 228.31, MTU Oil Category 2.1, RVI RLD-3, Volvo VDS-4.5, Meets - Ford WSS-M2C171-F1

Emballage	Artikel-Nr.
4 X 5 LT	15C305
1 X 20 LT	15C373
1 X 208 LT	15C302
BULK LT	280067



## Castrol Vecton Long Drain 10W-40 E6/E9

### Specifikationer

ACEA E6, E7, E9, API CJ-4, JASO DH-2, CAT ECF-3, Cummins CES 20081, Deutz DQC IV-10LA, Mack EO-O Premium Plus, EOS-4.5, MAN M 3271-1 M 3477, MB-Approval 228.51, MTU Oil Category 3.1, RVI RLD-3, Volvo CNG VDS-4 VDS-4.5, For Iveco trucks requiring ACEA E6, E7, E9, Meets DAF Euro VI requirements

Emballage	Artikel-Nr.
4 X 5 LT	15B34C
1 X 20 LT	15B346
1 X 208 LT	15B34A
BULK LT	280057



## Castrol Vecton Long Drain 10W-40 E7

### Specifikationer

ACEA E4, E7, API CF, Deutz DQC III-10, Mack EO-N, MAN M 3277, MB-Approval 228.5, MTU Oil Category 3, RVI RLD-2, Scania LDF-3, Volvo VDS 3, Meets DAF requirements

Emballage	Artikel-Nr.
1 X 20 LT	15B351
1 X 208 LT	15B355
BULK LT	217AFF

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





# CASTROL CRB. FOR LONG AND HEALTHY ENGINE LIFE.



## Castrol CRB Monograde 30 CF

### Specifikationer

API CF

Emballage	Artikel-Nr.
1 X 20 LT	15B9F7
1 X 208 LT	15B9F8



## Castrol CRB Monograde 10W CF

### Specifikationer

API CF

Emballage	Artikel-Nr.
1 X 20 LT	15BB34
1 X 208 LT	15BB35



## Castrol CRB Multi 15W-40 CI-4/E7

### Specifikationer

ACEA E7, API CI-4/SL, CAT ECF-2, Cummins CES 20077, CES 20078, DDC Powerguard 93K215, Deutz DQC III-10, Mack EO-M Plus, EO-N, MB-Approval 228.3, MTU Oil Category 2, RVI RLD-2, Volvo VDS-3, meets requirements of MAN M 3275-1

Emballage	Artikel-Nr.
4 X 5 LT	15BA21
1 X 20 LT	15BA1A
1 X 208 LT	15EA3A
BULK LT	2B002F

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol CRB Turbomax 10W-40 E4/E7

### Specifikationer

ACEA E4, E7, API CI-4, JASO DH-1, Cummins CES 20077, 20078, DDC Powerguard 93K215, Deutz DQC III-10, Mack EO-N, MAN M 3277, „MB-Approval 228.5, MTU Oil Category 3, RVI RLD-2, Volvo VDS 3

Emballage	Artikel-Nr.
1 X 20 LT	15BA25
1 X 208 LT	15BA27
BULK LT	2B0049

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



## TRANSMAX PRODUKTER

UTGÅENDE		ERSÄTTS MED
Produktnamn		Produktnamn
Syntrans B 75W		N/A
ATF Multivehicle		Transmax ATF Dex/Merc Multivehicle
Transmax DEXRON®-VI MERCON® LV		Transmax ATF DEXRON®-VI MERCON® LV Multivehicle
Autran MBX		
ATF Dex II Multivehicle		Transmax ATF DX III Multivehicle
Transmax Dex III Multivehicle		
Transmax Z		Transmax ATF Z
Axle EPX 80W-90		Transmax Axle EPX 80W-90
Axle EPX 85W-140		Transmax Axle EPX 85W-140
Axle EPX 90		Transmax Axle EPX 85W-90
Syntrax Long Life 75W-140		Transmax Axle Long Life 75W-140
Syntrax Long Life 75W-90		Transmax Axle Long Life 75W-90
Transmax CVT		Transmax CVT
Transmax DUAL		Transmax Dual
Syntrax Limited Slip 75W-140		Transmax Limited Slip LL 75W-140
Axle Z Limited Slip 90		Transmax Limited Slip Z 85W-90
Syntrans AT 75W-90		Transmax Manual AT 75W-90
Manual EP 80W		Transmax Manual EP 80W
Manual EP 80W-90		Transmax Manual EP 80W-90
Syntrans FE 75W		Transmax Manual FE 75W
Syntrans 75W-85		Transmax Manual Long Life 75W-85
Syntrans Multivehicle 75W-90		Transmax Manual Multivehicle 75W-90
Syntrans Transaxle 75W-90		Transmax Manual Transaxle 75W-90
Syntrans V FE 75W-80		Transmax Manual V 75W-80
Syntrans Z Long Life 75W-80		Transmax Manual Z Long Life 75W-80
Transmax Offroad 10		Transmax Offroad 10W
Transmax Offroad 30		Transmax Offroad 30
Transmax Offroad 50		Transmax Offroad 50
Universal 75W-90		Transmax Universal 75W-90
Syntrax Universal Plus 75W-90		Transmax Universal LL 75W-90

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# CASTROL TRANSMAX. WITH SMOOTH DRIVE TECHNOLOGY™.



**TRANSMAX**

## Castrol Transmax ATF Dex/Merc Multivehicle

### Spezifikationen

Meets Dexron®-IIIH, Mercon®, Suitable for use where JASO 1A(03), JASO 1A LV(13) is required including: Toyota T III, T IV, WS, Mitsubishi SP II, IIM, III, IV, PA, J3, Mazda ATF M-III, M-V, FZ, Honda/Acura DW 1/2 1, Nissan Matic D, J, S, JWS 3314/3317/ 3309, Suzuki AT Oil 5D06, 2384K, Isuzu, Subaru F6, Red 1, Daihatsu AMMIX ATF D-III Multi, D3-SP, Hyundai/Kia SP III, SP IV, Suitable for use as Power steering fluid

Emballage	Artikel-Nr.
12 X 1 LT	15DD27
1 X 60 LT	15DD25



**TRANSMAX**

## Castrol Transmax ATF Z

### Spezifikationen

JASO 1A 03, MAN 339 V2, MAN 339 Z12, MAN 339 Z3, MB-Approval 236.81, Voith H55.6336.xx, VW 501 60, ZF TE-ML 04D, 11B, 14C, 16M, 16S, 20C, 25C, Suitable for use where the following are called for: Toyota T, T II, T III, T IV, WS, Nissan Matic D, J, S, Mitsubishi SP II, IIM, III, PA, J3, SP IV, Mazda ATF M-III, M-V, JWS 3317, FZ, Subaru F6, Red 1, Daihatsu AMMIX ATF D-III Multi, D3-SP, Suzuki AT Oil 5D06, 2384K, JWS 3314, 3317, Hyundai/Kia SP III, SP IV, Aisin Transmissions requiring JWS 3309, Honda/Acura DW 1/21, Isuzu (where Toyota T-IV is required), BMW, VW, Audi and Jaguar 5 speed automatic transmission and MB 4 and 5 speed automatic transmissions, BMW Oil No. 8322.9407807, Citroen Oil No. Z 000169756, Jaguar Oil No. JLM 20238, LA 2634, LT 71141, Mercedes Benz Oil No. 0019892203, MB 236.1, 236.6, 236.7, 236.9, 236.10, Peugeot Oil No. Z 000169756, Porsche Oil No. 999.917.547.00, VW/Audi TL 52162 (G 052 162), ZF Lifeguardfluid 5.

Emballage	Artikel-Nr.
12 X 1 LT	15D6CD
1 X 20 LT	15D6C7
1 X 60 LT	15D6CA
1 X 208 LT	15D6C8
BULK LT	2B0068

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



**Castrol TRANSMAX**

## Castrol Transmax ATF DEXRON®-VI MERCON® LV Multivehicel

### Specifikationer

Suitable for use where the following is called for: Aisin Warner AW-1, AW-2, AML Oil No. G 055005 A1 / A2 / A6, ATF M1375.4, D3M, MA-1, SP, Bently Oil No. PY112995PA, BMW Oil No. 8322 0142516, 83 22 2 3 55 599 (ATF6), 83 22 2 413 477 (ATF7), 83 22 2 289 720 (ATF3+), ETL 7045E, LA 2634, LT 71141, Chrysler Oil No. 68157995AA, ATF+4, Daihatsu AMMIX ATF D-III Multi D3-SP, Elfmatic J6, Ford MERCON® ULV ATF MERCON SP, M2C924-A, M2C949-A, GM 1940767, GM DEXRON II, III, IIH, Honda ATF Type 3.1 : 08263-999--01HE (EU), Honda/Acura DW 1/Z 1, Hyundai/Kia SP III, SP IV, SP IV M, SP IV RR, Oil No. 040000C905G, Isuzu, Red 1, Jaguar Oil No. 02JDE 26444, Fluid 8432, JASO 1A(03), JASO 1A LV(13), JWS 3314, 3317, 3309, 3324, Land Rover Oil No. LR023288, TYK500050, MB 236.10, 236.12, 236.14, 236.15, 236.17, Maserati Oil No. 231603, Mazda ATF M-III, M-V, FZ, Mitsubishi SP II, IIM, III, IV, PA, J3, Nissan Matic D, J, S, Petronas Tutela Transmission AS8, Subaru F6, Red 1, Suzuki AT Oil 5D06, 2384K, Toyota T III, T IV, WS, Volvo 1161540, VW / Audi G 052 990, TL52990, VW / Audi G 055 540, TL 55540, VW / Audi G 060 162, TL 60162, ZF Lifeguardfluid 6, ZF Lifeguardfluid 8, and the OFF ROAD application Volvo 97342 (AT 102), Also Suitable for use in Porsche 7 and 9 speed automatics from Mercedes Benz, and 8 and 9-speed automatics from Audi, BMW, Mini-Cooper, Jaguar, Peugeot/Citroen, Saab, Volvo, and VW, whose specification or part number is not specifically mentioned above.

Emballage	Artikel-Nr.
12 X 1 LT	15D73A
1 X 20 LT	15D738
1 X 60 LT	15D739
1 X 208 LT	15D73D



**Castrol TRANSMAX**

## Castrol Transmax ATF DX III Multivehicel

### Specifikationer

Allison TES 389, MAN 339 L1, V1, Z1, MB-Approval 236.9, Voith H55.6335.xx, Volvo Transmission 97341, ZF TE-ML 04D, ZF TE-ML 14A\*, Meets Allison C4, Meets Ford MERCON®, GMDEXRON® -IIIH\*\*, Meets Requirements Of - Volvo 97340 \*(TR01 DE04 ZF003368), \*\* GM Dexron III(H) supersedes GM Dexron II(D)

Emballage	Artikel-Nr.
12 X 1 LT	15D675
4 X 5 LT	15D678
1 X 20 LT	15D66F
1 X 60 LT	15D673
1 X 208 LT	15D671
BULK LT	217F16



**Castrol TRANSMAX**

## Castrol Transmax DUAL

### Specifikationer

Approved - Audi / VW TL 52529 (G 052 529), Suitable for use in the following: Audi / VW TL 52182 (G 052 182), Seat, Chrysler (Europe), Ford WSS-M2C936-A (Dual Clutch), Mitsubishi dual clutch including Dia Queen SSTF-1, Peugeot using Getrag DCT, PSA Transmission oil 9734 52, Skoda 6-speed Dual Clutch Transmission (DSG), Volvo Dual Clutch Transmission

Emballage	Artikel-Nr.
12 X 1 LT	15D916
1 X 60 LT	15D911
1 X 208 LT	15DC45



**Castrol TRANSMAX**

## Castrol Transmax CVT

### Specifikationer

Suitable for use where the following are called for: Toyota CVT Fluid TC, FE, Nissan CVT Fluid NS-1, NS-2, NS-3, MMC DIAQUEEN ATF SP-III, CVT Fluid J1, CVT Fluid J4, CVT Fluid J4+, Mazda CVTF 3320, Subaru i-CVT Fluid, i-CVT FG, Lineartronic II, Lineartronic High Torque Chain CVTF, Daihatsu AMMIX CVT Fluid DC, CVT Fluid DFE, Suzuki CVT Fluid 3320, Green 1, Green 2, CVTF TC, NS-2, Honda HCF-2 \*, Hyundai/Kia SP-III, SP-CVT 1, Chrysler NS-2, CVTF+4, Mini Cooper EZL799, Ford CVT23, MB 236.20, VW/Audi TL 52180 (G 052 180), TL 52516 (G 052 516), Dex CVT, \*Transmax CVT is suitable for use in all of Honda CVTs except 2001-2007 Model Honda Fit/Jazz which are equipped with Starting Clutch.

Emballage	Artikel-Nr.
12 X 1 LT	15D7B3
1 X 20 LT	15D7AA

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *TRANSMAX*

### Castrol Transmax Manual FE 75W

#### Specifikationer

API GL-4, MB-Approval 235.73, Meets Ford WSS-M2C200-D2

Emballage	Artikel-Nr.
12 X 1 LT	15E98A
1 X 60 LT	15D7E6
1 X 208 LT	15D7E8



**Castrol** *TRANSMAX*

### Castrol Transmax Manual V 75W-80

#### Specifikationer

API GL-4+, VW TL 52 532-A/ TL 52 532-B, Suitable for use where the following is called for: VW G 052 171, VW G 052 527, VW G 052 512, VW G 052 532, VW G 055 532, \*SAE Class according to J306 pre 2019

Emballage	Artikel-Nr.
12 X 1 LT	15D973
1 X 20 LT	15D7F3
1 X 60 LT	15D96F



**Castrol** *TRANSMAX*

### Castrol Transmax Manual Z Long Life 75W-80

#### Specifikationer

API GL-4, MAN 341 Z5, MB-Approval 235.41, ZF TE-ML 01E, 02E, 16P

Emballage	Artikel-Nr.
1 X 20 LT	15D70A
1 X 208 LT	15D8DF
BULK LT	217EE8



**Castrol** *TRANSMAX*

### Castrol Transmax Manual Long Life 75W-85

#### Specifikationer

API GL-4, MB-Approval 235.4, Volvo Transmission Oil 97307:045

Emballage	Artikel-Nr.
1 X 20 LT	15D8AB
1 X 208 LT	15D8AE
BULK LT	217EE9



**Castrol** *TRANSMAX*

### Castrol Transmax Manual Multivehicle 75W-90

#### Specifikationer

API GL-4, MB-Approval 235.72, Meets Ford WSD-M2C200-C, \*SAE Class according to J306 pre 1998

Emballage	Artikel-Nr.
12 X 1 LT	15E986
1 X 20 LT	15D80F
1 X 60 LT	15D811
1 X 208 LT	15D810

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.







**Castrol** *TRANSMAX*

## Castrol Transmax Manual Transaxle 75W-90

### Specifikationer

API GL-4+,VW 501 50,\*SAE Class according to J306 pre 1998

Emballage	Artikel-Nr.
12 X 1 LT	15D700
1 X 20 LT	15D6FA
1 X 60 LT	15D8A9
1 X 208 LT	15DB41



**Castrol** *TRANSMAX*

## Castrol Transmax Manual AT 75W-90

### Specifikationer

API GL-4,Approved - MB-Approval 235.11

Emballage	Artikel-Nr.
1 X 20 LT	15D731
1 X 208 LT	15D733



**Castrol** *TRANSMAX*

## Castrol Transmax Manual EP 80W

### Specifikationer

API GL-4,MB-Approval 235.1, ZFTE-ML 17A

Emballage	Artikel-Nr.
1 X 20 LT	15DDEF
1 X 208 LT	15DDFO



**Castrol** *TRANSMAX*

## Castrol Transmax Manual EP 80W-90

### Specifikationer

API GL-4,ZF TE-ML 02B, 17A,MAN 341 Z2

Emballage	Artikel-Nr.
1 X 20 LT	15D7DB
1 X 208 LT	15D957



**Castrol** *TRANSMAX*

## Castrol Transmax Axle Long Life 75W-90

### Specifikationer

API GL-5,MAN 342 S1,ZF TE-ML 05A, 12B, 17B, 19C, 21A,BMW (Non-Limited Slip Rear Axles) According to Service Instruction 33 01 96 (149)

Emballage	Artikel-Nr.
12 X 1 LT	15D6ED
1 X 20 LT	15DB78
1 X 60 LT	15D8CF
1 X 208 LT	15D8CE
BULK LT	217EE5

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *TRANSMAX*

## Castrol Transmax Axle Long Life 75W-140

### Specifikationer

API GL-5, Scania STO 2:0A

Emballage	Artikel-Nr.
12 X 1 LT	15D885
1 X 20 LT	15D7A1
1 X 208 LT	15D883



**Castrol** *TRANSMAX*

## Castrol Transmax Axle EPX 80W-90

### Specifikationer

API GL-5, MAN 342 M2, ZF TE-ML 05A, 12E, 16B, 17B, 19B, 21A

Emballage	Artikel-Nr.
12 X 1 LT	15D953
4 X 5 LT	15D83E
1 X 20 LT	15D761
1 X 20 LT	15D761
1 X 60 LT	15D766
1 X 208 LT	15D94D



**Castrol** *TRANSMAX*

## Castrol Transmax Axle EPX 85W-90

### Specifikationer

API GL-5, MB-Approval 235.0, ZF - TE-ML 16C, 17B, 19B, 21A

Emballage	Artikel-Nr.
1 X 20 LT	15DE6C



**Castrol** *TRANSMAX*

## Castrol Transmax Axle EPX 85W-140

### Specifikationer

API GL-5, ZF TE-ML 05A, 12E, 16D, 21A

Emballage	Artikel-Nr.
1 X 20 LT	15D825
1 X 208 LT	15D828



**Castrol** *TRANSMAX*

## Castrol Transmax Universal 75W-90

### Specifikationer

API GL-4/5 \*SAE Class according to J306 pre 1998

Emballage	Artikel-Nr.
1 X 20 LT	15D719
1 X 60 LT	15D886
1 X 208 LT	15D885

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *TRANSMAX*

## Castrol Transmax Universal LL 75W-90

### Specifikationer

API GL-4/GL-5/MT-1,SAE J2360,MAN 341 Z2, 342 S1, MB-Approval 235.8,Scania STO 1:1G, STO 2:0A FS, ,Volvo 97312, ,ZF TE-ML 02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A \*(DE04 ZF002144)

Emballage	Artikel-Nr.
12 X 1 LT	15DD0D
1 X 20 LT	15DD10
1 X 60 LT	15DD0C
1 X 208 LT	15DD11



**Castrol** *TRANSMAX*

## Castrol Transmax Universal LL 80W-90

### Specifikationer

API GL-4/5,MAN 341 Z2 ,MAN 342 M2,MB-Approval 235.0, Scania STO 1:0, Scania STO 1:1G,ZF TE-ML 02B, 05A, 12L, 12M, 16C, 17H, 19B, 21A,Recommended for use in Hino manual transmissions and differentials

Emballage	Artikel-Nr.
1 X 208 LT	15DC77



**Castrol** *TRANSMAX*

## Castrol Transmax Limited Slip LL 75W-140

### Specifikationer

API GL-5,MB-Approval 235.61,ZF TE ML 05C, 12D, 16G, 18, 21C\*\*,BMW LS Rear Axles,Recommended for use in Nissan GTR limited slip rear axles.,\*SAE Class according to J306 pre 1998 \*\*(DE01 ZF002141)

Emballage	Artikel-Nr.
12 X 1 LT	15DBDC
1 X 20 LT	15D98C
1 X 60 LT	15D991
1 X 208 LT	15D98E



**Castrol** *TRANSMAX*

## Castrol Transmax Limited Slip Z 85W-90

### Specifikationer

API GL-5,ZF TE-ML 05C, 12C, 16E, 21C

Emballage	Artikel-Nr.
12 X 1 LT	15D987
1 X 20 LT	15D983
1 X 60 LT	15DC44
1 X 208 LT	15DB82



**Castrol** *TRANSMAX*

## Castrol Transmax Agri MP Plus 10W-30

### Specifikationer

API CF-4/SF/GL-4,Massey Ferguson M1145, ZF TE-ML 06B\*, 07B,Meets Ford M2C159-B, John Deere JDM J27, Massey Ferguson M1139, M1144,Suitable for use where Case MS 1207, Ford M2C-134D, M2C86-B, John Deere JDM 20C,are specified

Emballage	Artikel-Nr.
1 X 20 LT	15BF37
1 X 208 LT	15BF39

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *TRANSMAX*

## Castrol Transmax Agri MP Plus 10W-40

### Specifikationer

API CF-4/SF/GL-4, ACEA E2, Massey Ferguson M1145, ZF TE-ML 06B\*, 07B (ZF002181), Meets - Ford M2C159-B, John Deere JDM J27, Massey Ferguson M1139, M1144, Suitable for use where Case MS 1207, Ford M2C134-D, M2C86-B, John Deere JDM J20C are specified

Emballage	Artikel-Nr.
1 X 20 LT	15BD85
1 X 208 LT	15BD87
BULK LT	2B0046



**Castrol** *TRANSMAX*

## Castrol Transmax Agri MP 15W-30

### Specifikationer

API CE/SF/GL-4, ZFTE-ML 06B\*, 07B, Meets - Ford M2C159-C, John Deere JDM J27, Massey Ferguson M1139, Suitable for use where Case MS 1207, Ford M2C86-B or John Deere JDM J20C are specified

Emballage	Artikel-Nr.
1 X 20 LT	15BBB0
1 X 208 LT	15BBB1



**Castrol** *TRANSMAX*

## Castrol Transmax Agri MP 15W-40

### Specifikationer

API CE/SF/GL-4, ZF TE-ML 06B(\*), 07B, Meets - JDM J27, MFM1144, Vickers M-2950-S, Recommended for use where applications require: Ford ESN-M2C-134D, ESN-M2C-159B, ESN-M2C-86B, MF M1139, Suitable for use where applications require: Case MAT 3525, Sperry Vickers, Eaton I-280-S, Sauer Sunstrand, Danfoss: Hydrostatic Trans Fluid, John Deere JDM J20C, New Holland FNHA-2-C-201.00, FNH 82009202, NH 410B

Emballage	Artikel-Nr.
1 X 20 LT	15BF7F
1 X 208 LT	15BF80



**Castrol** *TRANSMAX*

## Castrol Transmax Agri Trans AS 80W

### Specifikationer

API GL-4, Meets Ford M2C86-B, Massey Ferguson M1135, Suitable for use where New Holland NH 420A is specified.

Emballage	Artikel-Nr.
1 X 208 LT	15C162



**Castrol** *TRANSMAX*

## Castrol Transmax Agri Trans Plus 80W

### Specifikationer

API GL-4, Massey Ferguson M1145, Volvo Transmission Oil 97303:053 (WB 101), ZF TE-ML 03E, 05F, 17E, 21F, Meets - Ford M2C134-D, John Deere JDM J20C, Valtra G2-08, Suitable for use where Case 1207, 1209, MAT 3505, MAT 3525, MAT 3540, Ford M2C86-B or New Holland NH410B are specified, Suitable for use in S-Matic CVT and RC-shift transmissions, \*(AT01, BE02, TR01 ZF002188, DE04 ZF002189, ES01 ZF002190)

Emballage	Artikel-Nr.
1 X 20 LT	15BF7B
1 X 208 LT	15BF79
BULK LT	2B0048

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





**Castrol** *TRANSMAX*

## Castrol Transmax Offroad 10W

### Spezifikationen

Approved - ZF - TE-ML 03C, Meets - CAT TO-4, Recommended for use in Komatsu Equipment

#### Emballage

1 X 208 LT

#### Artikel-Nr.

15EAD8



**Castrol** *TRANSMAX*

## Castrol Transmax Offroad 30

### Spezifikationen

ZF TE-ML 03C, 07F, Meets CAT TO-4, Recommended for use in Komatsu Equipment

#### Emballage

1 X 208 LT

#### Artikel-Nr.

15EAD5

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





# SPECIALSORTIMENT

## Kylvätskor



### Castrol Radicool

#### Specifikationer

ASTM D3306 (I), Engine coolant concentrate ("antifreeze") conforms to the requirements of BS 6580:2010

Emballage	Artikel-Nr.
1 X 20 LT	15558D
1 X 208 LT	15558F



### Castrol Radicool NF

#### Specifikationer

ASTM D3306, ASTM D4985, BS - BS6580:2010, JASO JIS K2234, MAN 324 Typ NF, MB-Approval 325.0, MTU MTL 5048, VW TL-774C (G11), Deutz - DQC CA-14

Emballage	Artikel-Nr.
1 X 208 LT	154C9A



### Castrol Radicool SF

#### Specifikationer

ASTM D3306 (I), ASTM D4985, ASTM D6210, BS - BS 6580:2010, JASO JIS K2234, Deutz DQC CB-14, Meets Ford WSS-M97B44-D, MAN 324 Typ SNF, MB-Approval 325.3, VW TL-774F (G12+), DAF 74002

Emballage	Artikel-Nr.
12 X 1 LT	15D9EF
1 X 20 LT	155B84
1 X 208 LT	155B89

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol Radicool Si-OAT

### Specifikationer

ASTM D3306 (I), ASTM D4985, BS6580:2010, JASO JIS K2234, MAN 324 Type Si-OAT, MB-Approval 325.5, VW TL-774G (G12++)

Emballage	Artikel-Nr.
1 X 208 LT	155FA6

## Bromsvätskor



## Castrol React DOT 4 Low Temp

### Specifikationer

SAE J1703, SAE J1704, FMVSS 116 DOT 4, ISO 4925 Class 6, JASO JIS K2233 Class 4, VW TL 766-Z, Torr ångblåsbildningspunkt SAE J1703 °C 265. Vät ångblåsbildningspunkt SAE J1703 °C 175

Emballage	Artikel-Nr.
1 X 60 LT	15D8A7



## Castrol Brake Fluid DOT 4

### Specifikationer

JASO JIS K2233 Class 4, SAE J1703, SAE J1704, ISO 4925 Class 4, FMVSS 116 DOT 4. Wet Equilibrium Reflux Boiling Point SAE J1703 °C 165 min. ERBP (Equilibrium Reflux Boiling Point) SAE J1703 °C 250 min.

Emballage	Artikel-Nr.
12 X 1 LT	15CD1F
1 X 20 LT	15CD1E



## Castrol React Performance DOT 4

### Specifikationer

FMVSS 116 DOT 4, ISO 4925 Class 4, JIS K2233, SAE J1703, SAE J1704. Vät ångblåsbildningspunkt SAE J1703 °C 180 min. Torr ångblåsbildningspunkt ASTM D1120 °C 260 min

Emballage	Artikel-Nr.
12 X 1 LT	15CC7B



## Castrol React SRF Racing

### Specifikationer

FMVSS 116 DOT 3, FMVSS 116 DOT 4, ISO 4925 Class 4, SAE J1703, JASO JIS K2233 Class 4. ERBP (Equilibrium Reflux Boiling Point) ASTM D1120 °C 320. Wet Equilibrium Reflux Boiling Point SAE J1703 °C 270

Emballage	Artikel-Nr.
12 X 1 LT	15C540

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



## Smörjfetter



### Castrol High Temperature Grease

#### Specifikationer

NLGI 2

Emballage	Artikel-Nr.
1 X 18 KG	1503AA
1 X 180 KG	1503AB
1 X 50 KG	1503AC
12 X 400 GM	1503AD

### Castrol CLS Grease

#### Specifikationer

MAN 283 Li-P 00/000, MB-Approval 264.0, NLGI 00/000, Volvo Truck Corporation: Service Bulletin page 28

Emballage	Artikel-Nr.
1 X 18 KG	145A12

### Castrol Multipurpose Grease

#### Specifikationer

Lithium-Complex, Base Oil Viscosity @ 40 °C 175 cSt, NLGI 2, temperature interval -30 +120

Emballage	Artikel-Nr.
1 X 18 KG	1560C2
12 X 400 G	1560C4

### Castrol Moly Grease

#### Specifikationer

Lithium, Base Oil Viscosity @ 40 °C, 150 cSt, NLGI 2, temperature interval -20 +120

Emballage	Artikel-Nr.
12 X 400 G	15C5B6

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.







## Castrol Outboard 2T

### Specifikationer

NMMA TC-W3

#### Emballage

12 X 1 LT

#### Artikel-Nr.

151A16



## Castrol Garden 4T 10W-30

### Specifikationer

API SL

#### Emballage

12 X 1 LT

#### Artikel-Nr.

151B50

## Motorrengöring



## Castrol Engine Shampoo

### Specifikationer

Powerful Cleaning Agent "PCA" provides superior cleaning performance.

#### Emballage

6 X 300 ML

#### Artikel-Nr.

15CF7C

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



# NYA CASTROL ENGINE SHAMPOO

## DEN KRAFTIGA RENGÖRINGEN FÖR MOTORER



IT'S MORE THAN JUST OIL.  
IT'S LIQUID ENGINEERING.



# CASTROL POWER1 MED POWER RELEASE TECHNOLOGY™



IT'S MORE THAN JUST OIL.  
IT'S LIQUID ENGINEERING.™

**Castrol**  
**POWER1**



## Castrol POWER1 Racing 4T 5W-40

### Specifikationer

API SN, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	14EAFB
4 X 4 LT	152F48
1 X 208 LT	14CD99



## Castrol POWER1 Racing 4T 10W-50

### Specifikationer

API SN, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	14E94F
4 X 4 LT	15048E
1 X 208 LT	15045E



## Castrol POWER1 Racing 4T 10W-60

### Specifikationer

JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	15D2B9
4 X 4 LT	15D2BA



## Castrol POWER1 4T 10W-30

### Specifikationer

API SL, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	15042E
4 X 4 LT	15042F
1 X 208 LT	15042C

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol POWER1 4T 10W-40

### Specifikationer

API SN, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	15043E
4 X 4 LT	15043F
1 X 208 LT	15043C



## Castrol POWER1 4T 15W-50

### Specifikationer

API SN, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	15044D
4 X 4 LT	15044F
1 X 208 LT	15044C



## Castrol POWER1 4T 20W-50

### Specifikationer

API SN, JASO MA2

Emballage	Artikel-Nr.
12 X 1 LT	15049A
4 X 4 LT	15049B
1 X 208 LT	1546DF



## Castrol POWER1 Racing 2T

### Specifikationer

API TC, ISO-L-EGD, JASO FD

Emballage	Artikel-Nr.
12 X 1 LT	15B633

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol POWER1 2T

### Specifikationer

API TC, ISO-L-EGD, JASO FD

### Emballage

12 X 1 LT

### Artikel-Nr.

15B64B



## Castrol POWER1 Scooter 2T

### Specifikationer

API TC+, ISO-L-EGD, JASO FD

### Emballage

12 X 1 LT

### Artikel-Nr.

14E960



## Castrol POWER1 A747

### Specifikationer

Utvecklad speciellt för vattenkylda 2T-motorer med flera cylindrar monterade på roadracingfordon. Kan användas för bränsle/oljeförhållanden på upp till 40:1.

### Emballage

12 X 1 LT

### Artikel-Nr.

15ADA3



## Castrol Chain Spray O-R

### Specifikationer

Castrol Chain Spray O-R är ett vitt, helsyntetiskt kedjesmörjmedel för motorcykelkedjor av typ o-ring och x-ring.

- Utmärkt inträngnings- och vidhäftningsförmåga och torkar snabbt
- Motstår vattenbortsköljning

### Emballage

12 X 1 LT

### Artikel-Nr.

15A272

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.





## Castrol MTX 10W-40

### Specifikationer

För motorcyklar med tvåtakts- eller fyrtaktsmotor med separat växellåda. Den mineralbaserade formulan ger överlägsna kallstartsegenskaper och mjuka kopplingsgrepp under såväl varma som kalla förhållanden.

Emballage	Artikel-Nr.
12 X 1 LT	151AD4



## Castrol Fork Oil Synthetic 5W

### Specifikationer

Helsyntetisk vätska utformad för att ge ultimata dämpning i alla fjädringssystem för körning på väg och i terräng.

- För alla landsvägs- och terrängmotorcyklar som används i extrema miljöer – passar för racing

Emballage	Artikel-Nr.
12 X 500 ML	15AB66



## Castrol Fork Oil 15W

### Specifikationer

Avancerad mineral-baserad vätska utformad för optimala dämpningsegenskaper i alla fjädringssystem på landsvägs- och terrängmotorcyklar.

Emballage	Artikel-Nr.
12 X 500 ML	15199D

IT'S MORE THAN JUST OIL. IT'S LIQUID ENGINEERING.



IT'S MORE THAN JUST OIL.  
IT'S LIQUID ENGINEERING.™



**Nordic Lubricants AB**  
**Box 49104, 100 28 Stockholm**

**Sverige**  
**customerservice.auto@castrol.se**  
**+46 770 456 799**

**Norge**  
**customerservice.auto@castrol.no**  
**+47 815 58 005**

**Danmark**  
**customerservice.auto@castrol.dk**  
**+45 70 80 70 54**